

CONNECTICUT
HEALTHCARE
INNOVATION PLAN

Quality Council



May 27th, 2015


Meeting Agenda

Item	Allotted Time
1. Call to order/Public comment/Minutes	20 min
2. Timetable for recommended measure set/MAPOC CMC Coordination	15 min
4. Readmission measures	20 min
5. Meaningful Use measure	15 min
6. Oral health measures	15 min
7. Claims vs. EHR as a data source	30 min
8. Payer review (feasibility and clinical)	10 min
9. Meeting schedule	10 min

Timetable

SIM Components & Timeline: Quality Measure Alignment


Alignment



Source: PMO. New national measures to adopt best practices

Quality Council (QC) Completion of Quality Measure Set– Interaction with HISC & MAPOC

Proposed Steps and Timeline for Quality Council and MAPOC CMC to Conduct SIM-MQISSP Planning Alignment
(in Accordance with DSS-SIM Joint Protocol Adopted 2/24/15) – **DRAFT FOR DISCUSSION**



Meaningful Use Measure

Meaningful Use Measure

- See attachment

Readmission Measures

Under Review - Readmission

Domain: care coordination/patient safety		NQF	Steward
ACO-8	Risk standardized all condition readmission	1789 (adapted)	CMS
	Plan All-cause Readmissions	1768	NCQA

Under Review - Readmission

	CMS readmission NQF 1789	NCQA readmission NQF 1768
Pros	Medicare SSP aligned Risk standardization can apply to commercial and Medicaid	Harmonized with CMS measure on index admission and planned exclusions Includes BH admissions National benchmark data <i>Appears</i> to be the standard adopted in other SIM states
Cons	Excludes BH admissions No national benchmark	No risk adjustment for Medicaid Excludes births

Under Review – Readmission - Options

- NCQA (1768)
 - Use for commercial, no readmission measure for Medicaid scorecard for payment purposes
 - CT /other SIM states steward risk standardization for Medicaid
- CMS (1789)
 - CT stewards addition of BH component to CMS measure

Oral Health Measures

Under Review – Oral Health Measures

Domain: care coordination/patient safety		NQF	Steward
Annual preventive dental visit	The percentage of individuals ages 1 to 20 who are enrolled in Medicaid or CHIP Medicaid Expansion programs for at least 90 continuous days, are eligible for Early and Periodic Screening, Diagnostic, and Treatment (EPSDT) services, and who received at least one preventive dental service during the reporting period.	None	CMS
Primary Caries Prevention Intervention as Part of Well/III Child Care as Offered by Primary Care Medical Providers	The measure will a) track the extent to which the PCMP or clinic (determined by the provider number used for billing) applies FV as part of the EPSDT examination and b) track the degree to which each billing entity's use of the EPSDT with FV codes increases from year to year (more children varnished and more children receiving FV four times a year according to ADA recommendations for high-risk children.	1419 (no longer endorsed)	University of Minnesota
Prevention: Topical Fluoride for Children at Elevated Caries Risk, Dental Services	Percentage of enrolled children aged 1-21 years who are at "elevated" risk (i.e., "moderate" or "high") who received at least 2 topical fluoride applications within the reporting year.	2528	American Dental Association on behalf of the Dental Quality Alliance

Under Review – Oral Health Measures

Domain: care coordination/patient safety		NQF	Steward
Annual preventive dental visit	The percentage of individuals ages 1 to 20 who are enrolled in Medicaid or CHIP Medicaid Expansion programs for at least 90 continuous days, are eligible for Early and Periodic Screening, Diagnostic, and Treatment (EPSDT) services, and who received at least one preventive dental service during the reporting period.	None	CMS
Oral evaluation, dental services	Percentage of enrolled children under age 21 years who received a comprehensive or periodic oral evaluation within the reporting year.	2517	American Dental Assoc

Under Review – Oral Health Measures

Domain: care coordination/patient safety		NQF	Steward
<p>Primary Caries Prevention Intervention as Part of Well/III Child Care as Offered by Primary Care Medical Providers</p>	<p>The measure will a) track the extent to which the PCMP or clinic (determined by the provider number used for billing) applies FV as part of the EPSDT examination and b) track the degree to which each billing entity's use of the EPSDT with FV codes increases from year to year (more children varnished and more children receiving FV four times a year according to ADA recommendations for high-risk children.</p>	<p>1419 (no longer endorsed)</p>	<p>University of Minnesota</p>
<p>COHI – Recommends that we add this measure despite the loss of NQF endorsement. It is perhaps the best measure available that reflects a recommended practice (USPSTF Class B) for oral health care in primary care settings.</p>			

Under Review – Oral Health Measures

Domain: care coordination/patient safety		NQF	Steward
Prevention: Topical Fluoride for Children at Elevated Caries Risk, Dental Services	Percentage of enrolled children aged 1-21 years who are at “elevated” risk (i.e., “moderate” or “high”) who received at least 2 topical fluoride applications within the reporting year.	2528	American Dental Association on behalf of the Dental Quality Alliance
COHI withdraws their recommendation for this measure. There is no accepted, evidenced based standard of risk assessment, which is necessary to define the denominator. While a claims based method exists, it is not likely to be adequate to identifying the elevated risk population.			

Claims vs. EHR
as data source
for measures

Provisional Measure Set

- Based on Level I/II review, measures have been recommended for provisional measure set
- Does not include readmission, admission, ED use or other measures under review
- Final review and culling will be based on expanded stakeholder input and examination of base rate information and improvement opportunity
- Final review will also consider HIT Council examination of feasibility, especially as it pertains to EHR based measures

Provisional Measure Set – Source of Data

Principles that guided this preliminary recommended data source

1. **Claims** as the data source for those measures for which:
 - a) Claims data feasible to obtain and provides a reasonably complete/valid measure of performance
 - b) Claims data is already the sole source of data for Medicare, Medicaid or commercial plan production of the measure
 - c) Codes are currently in widespread use for claims submission

Provisional Measure Set – Source of Data

2. EHR as the data source for those measures for which:

- a) Measure is a hybrid measure that requires medical record or EHR chart abstraction
- b) Medicare has engineered the production of the measure using EHR source data
- c) Measure is an electronic Clinical Quality Measure (eCQM) and thus programmed into ONC certified EHRs

3. Survey as a data source for those measures for which:

- a) Survey is the most efficient and valid means to gather data
- b) Survey is the source of data for Medicare and commercial plans
- c) Survey methodology available

Provisional Measure Set – Care Experience

Prevention Measure	Proposed Data Source
PCMH CAHPS	Survey

Provisional Measure Set - Prevention

Prevention Measure	Proposed Data Source	eCQM	Medicare ACO Measure
Breast cancer screening	Claims		PREV-5 (ACO-20)
Cervical cancer screening	Claims	eCQM	
Chlamydia screening in women	Claims	eCQM	
Colorectal cancer screening	EHR	eCQM	PREV-6 (ACO-19)
Preventive care and screening: influenza immunization	EHR	eCQM	PREV-7 (ACO-14)
Preventive care and screening: body mass index screening and follow-up	EHR	eCQM	PREV-9 (ACO-16)
Weight assessment and counseling for nutrition and physical activity for children/adolescents	EHR	eCQM	

Provisional Measure Set - Prevention

Prevention Measure	Proposed Data Source	eCQM	Medicare ACO Measure
Developmental screening in the first three years of life	Claims		Pediatric Prevention Composite
Well-child visits in the first 15 months of life	EHR=>Claims		Pediatric Prevention Composite
Well-child visits in the third, fourth, fifth and sixth years of life	EHR=>Claims		Pediatric Prevention Composite
Adolescent well-care visits	EHR=>Claims		Pediatric Prevention Composite
Pediatric behavioral health screening	Claims		
Preventive care and screening: tobacco use: screening and cessation intervention	EHR	eCQM	PREV-10 (ACO-17)
Preventive care and screening: screening for high blood pressure and follow-up documented	EHR		PREV-11 (ACO-21)

Provisional Measure Set - Prevention

Prevention Measure	NQF	eCQM	Medicare ACO Measure
Preventive care and screening: screening for clinical depression and follow-up plan	EHR	eCQM	PREV-12 (ACO-18)
Prenatal care & Postpartum care	EHR		
Frequency of ongoing prenatal care	EHR		
Maternal depression screening	Claims?	eCQM	
Annual dental visit	Claims		

Provisional Measure Set – Acute & Chronic care

Measure	Proposed Data Source	eCQM	Medicare ACO Measure
Medication management for people with asthma	Claims		
Disease modifying anti-rheumatic drug therapy for rheumatoid arthritis	Claims		
DM: Hemoglobin A1c Poor Control (>9%)	EHR	eCQM	DM All or nothing Composite: ACO-27
DM: Diabetes eye exam	Claims=>EHR	eCQM	DM All or nothing Composite: ACO-41
DM: Diabetes foot exam	Claims		
DM: Diabetes: medical attention for nephropathy	Claims	eCQM	

Provisional Measure Set – Acute & Chronic care

Measure	Proposed Data Source	eCQM	Medicare ACO Measure
HTN: Controlling high blood pressure	EHR	eCQM	HTN-2 (ACO-28)
CHF: beta-blocker therapy for left ventricular systolic dysfunction	Claims	eCQM	HF-6 (ACO-31)
COPD: Use of spirometry testing in the assessment and diagnosis of COPD	Claims		
CAD: Persistence of Beta blocker therapy after a heart attack	Claims		
CAD: Medication adherence	Claims		
Use of imaging studies for low back pain	Claims	eCQM	
Avoidance of antibiotic treatment in adults with acute bronchitis	Claims		
Appropriate treatment for children with upper respiratory infection	Claims	eCQM?	

Provisional Measure Set

Behavioral Health Measures	Proposed Data Source	eCQM	Medicare ACO Measure
Follow-up care for children prescribed ADHD medication	Claims	eCQM	
Depression Remission at 12 Twelve Months	EHR	eCQM	
Child and Adolescent Major Depressive Disorder (MDD): Suicide Risk Assessment	EHR	eCQM	
Preventive Care and Screening: Unhealthy Alcohol Use – Screening	EHR		

Obstetrics Measure	Proposed Data Source	eCQM	Medicare ACO Measure
Elective Delivery	Claims		

Meeting Schedule

Meeting Schedule

- June 17 – Level 3
- July 8 (?) – Level 3
- Other
 - Presentation to HISC – 7/16

Adjourn